

Version 1.0 / USA 102000027208

1/10 Revision Date: 09/05/2014 Print Date: 02/09/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier		
Trade name	MAXFORCE® GRANULAR FLY BAIT	
Product code (UVP)	80925611	
SDS Number	102000027208	
EPA Registration No.	432-1375	
Relevant identified uses of th	e substance or mixture and uses advised against	
Use	Insecticide	
Restrictions on use	See product label for restrictions.	
Information on manufacturer		
	Bayer Environmental Science 2 T.W. Alexander Drive Research Triangle PK, NC 27709 United States	
Emergency telephone no.		
Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577 (24 hours/day)	
Product Information Telephone Number	1-800-331-2867	
SDS Information or Request	SDSINFO.BCS-NA@bayer.com	

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200 This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200. Other hazards Dust may form explosive mixture in air.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name Imidacloprid 2,6-Di-tert-butyl-4-methylphenol **CAS-No.** 138261-41-3 128-37-0 **Concentration % by weight** 0.50 >=0.10 - <0.25



Version 1.0 / USA 102000027208

2/10 Revision Date: 09/05/2014 Print Date: 02/09/2015

SECTION 4: FIRST AID MEASURES

Description of first aid measures		
General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.	
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.	
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.	
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.	
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.	
Most important symptoms a	nd effects, both acute and delayed	
Symptoms	If large amounts are ingested, the following symptoms may occur:	
	Dizziness, Abdominal pain, Nausea	
	Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).	
Indication of any immediate medical attention and special treatment needed		
Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.	

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media	
Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet
Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
Advice for firefighters	
Special protective equipment for fire-fighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Version 1.0 / USA 102000027208

BAYER

3/10 Revision Date: 09/05/2014 Print Date: 02/09/2015

Further information	Keep out of smoke. Fight fire from upwind position. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point	not applicable
Autoignition temperature	no data available
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Explosivity	no data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Precautions Keep unauthorized people away. Isolate hazard area. Avoid dust formation. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning upAvoid dust formation. Use mechanical handling equipment. Clean
contaminated floors and objects thoroughly, observing environmental
regulations. Keep in suitable, closed containers for disposal.Reference to other sectionsInformation regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Avoid dust formation. Use only in area provided with appropriate exhaust ventilation. For personal protection see section 8.
Advice on protection against fire and explosion	Dust may form explosive mixture in air. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition.
Hygiene measures	Avoid contact with skin, eyes and clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

BAYER

MAXFORCE® GRANULAR FLY BAIT

Version 1.0 / USA 102000027208

4/10 Revision Date: 09/05/2014 Print Date: 02/09/2015

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	5ug/m3 (AN ESL)	07 2011	TX ESL
Imidacloprid	138261-41-3	50ug/m3 (ST ESL)	07 2011	TX ESL
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)		OES BCS*
2,6-Di-tert-butyl-4- methylphenol (Inhalable fraction and vapor.)	128-37-0	2 mg/m3 (TWA)	02 2012	ACGIH
2,6-Di-tert-butyl-4- methylphenol	128-37-0	10 mg/m3 (REL)	2010	NIOSH
2,6-Di-tert-butyl-4- methylphenol	128-37-0	10 mg/m3 (TWA)	1989	OSHA Z1A
2,6-Di-tert-butyl-4- methylphenol	128-37-0	10 mg/m3 (TWA)	06 2008	TN OEL
2,6-Di-tert-butyl-4- methylphenol (Particulate.)	128-37-0	50ug/m3 (ST ESL)	02 2013	TX ESL
2,6-Di-tert-butyl-4- methylphenol (Particulate.)	128-37-0	5ug/m3 (AN ESL)	02 2013	TX ESL
2,6-Di-tert-butyl-4- methylphenol	128-37-0	10 mg/m3 (TWA PEL)	02 2012	US CA OEL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Safety glasses with side-shields

Version 1.0 / USA 102000027208



5/10 Revision Date: 09/05/2014 Print Date: 02/09/2015

Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	light red
Physical State	granular
Odor	weak characteristic
Odour Threshold	no data available
рН	5.5 - 6.5 at 1 % (23 °C) (deionized water)
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Evapouration rate	not applicable
Boiling Point Melting / Freezing Point	not applicable 180 - 182 °C / 356 - 359.6 °F
Minimum Ignition Energy	no data available
Decomposition temperature	no data available
Partition coefficient: n- octanol/water	not applicable
Viscosity	
	not applicable
Flash point	not applicable
Autoignition temperature	no data available
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Explosivity	no data available
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	no data available
Chemical stability	Stable under recommended storage conditions.



Version 1.0 / USA 102000027208 6/10 Revision Date: 09/05/2014 Print Date: 02/09/2015

Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	Store only in the original container.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin contact, Inhalation, Ingestion	
Immediate Effects Eye	Causes eye irritation.	
Skin	May cause slight irritation. Harmful if absorbed through skin.	
Ingestion	Harmful if swallowed.	
Inhalation	Harmful if inhaled.	
Information on toxicological effects		
Acute oral toxicity	LD50 (rat) > 2,500 mg/kg	
Acute inhalation toxicity	no data available	
	During intended and foreseen applications, no respirable aerosol is formed.	
Acute dermal toxicity	LD50 (rat) > 2,000 mg/kg	
Skin irritation	No skin irritation (rabbit)	
Eye irritation	No eye irritation (rabbit)	
Sensitisation	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Magnusson & Kligman test	

Assessment repeated dose toxicity

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

2,6-Di-tert-butyl-4-methylphenol	128-37-0	Group A4
----------------------------------	----------	----------



Version 1.0 / USA 102000027208

7/10 Revision Date: 09/05/2014 Print Date: 02/09/2015

Overall evaluation: 3

NTP

None.

IARC

2,6-Di-tert-butyl-4-methylphenol

OSHA

None.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

128-37-0

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Rainbow trout (Oncorhynchus mykiss)) 211 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient imidacloprid.	
Toxicity to aquatic invertebrates	EC50 (Water flea (Daphnia magna)) 85 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient imidaclopric	
	EC10 (Chironomus riparius (non-biting midge)) 2,09 μg/l Exposure time: 28 d The value mentioned relates to the active ingredient imidacloprid.	
Toxicity to aquatic plants	EC50 (Desmodesmus subspicatus) > 10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient imidacloprid.	
Biodegradability	Imidacloprid: ; not rapidly biodegradable	
Кос	Imidacloprid: Koc: 225	
Bioaccumulation	Imidacloprid: ; Does not bioaccumulate.	
Mobility in soil	Imidacloprid: Moderately mobile in soils	
Additional ecological information	No other effects to be mentioned.	

Bayer Environmental Science SAFETY DATA SHEET



MAXFORCE® GRANULAR FLY BAIT

Version 1.0 / USA 102000027208 8/10 Revision Date: 09/05/2014 Print Date: 02/09/2015

Environmental precautions Do not allow to get into surface water, drains and ground water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Dispose in accordance with all local, state/provincial and federal regulations.
Contaminated packaging	Do not re-use empty packagings. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material	
IMDG UN number Class Packaging group Marine pollutant Proper shipping name	3077 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)	
IATA UN number Class Packaging group Environm. Hazardous Mark Proper shipping name	3077 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)	

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification:

INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON



Version 1.0 / USA 102000027208

9/10 Revision Date: 09/05/2014 Print Date: 02/09/2015

SECTION 15: REGULATORY INFORMATION

 EPA Registration No.
 432-1375

 US Federal Regulations
 TSCA list

 2,6-Di-tert-butyl-4-methylphenol
 128-37-0

 US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

 None.

 SARA Title III - Section 302 - Notification and Information

 None.

 SARA Title III - Section 313 - Toxic Chemical Release Reporting

 None.

 US States Regulatory Reporting

 CA Prop65

 This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

0	0	
2,6-Di-tert-butyl-4-methylphe	enol 128-37-	O CA, MN

Canadian Regulations Canadian Domestic Substance List None.

Environmental CERCLA None. Clean Water Section 307 Priority Pollutants None. Safe Drinking Water Act Maximum Contaminant Levels None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word:	Caution!
Hazard statements:	Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling.



Version 1.0 / USA 102000027208

10/10 Revision Date: 09/05/2014 Print Date: 02/09/2015

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):			
Health - 1	Flammability - 1	Instability - 1	Others - none
HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)			
Health - 1	Flammability - 1	Physical Hazard - 1	PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: New Safety Data Sheet.

Revision Date: 09/05/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.