

Premise Spray

- TREATS 2000 SQ. FT.
- CONTAINS PRECOR® INSECT GROWTH REGULATOR PLUS ADULTICIDES
- CONTROLS FLEAS AND TICKS
- FAST-ACTING FORMULA
- FOR USE IN COMMERCIAL/INDUSTRIAL BUILDINGS
- PREVENTS REINFESTATION AND FLEA BUILD-UP FOR 210 DAYS



ACTIVE INGREDIENTS:

(S)-Methoprene (CAS #65733-16-6)0.085%
Permethrin (CAS #52645-53-1) 0.350%
Phenothrin (CAS #26002-80-2) 0.300%
N-octyl bicycloheptene dicarboximide
(CAS #113-48-4) 2.000%
Piperonyl butoxide, Technical*
(CAS #51-03-6) 1.400%
OTHER INGREDIENTS**:
TOTAL:
* Consists of 1.120% (butylcarbityl)(6-propylpiperonyl) ether and 0.280% related compounds. **Contains petroleum distillates.

EPA Reg No. 2724-490

KEEP OUT OF REACH OF CHILDREN CAUTION SEE ADDITIONAL PRECAUTIONARY STATEMENTS

INTRODUCTION

Precor 2000[®] Plus kills adult fleas, hatching flea eggs, flea larvae, and ticks. PRECOR[®], the unique ingredient in Precor 2000[®] Plus provides 210 days' protection by preventing eggs from ever developing into biting fleas. For best results, use Precor 2000[®] Plus with Petcor[®] onanimal products for complete control of fleas and ticks.

READ ENTIRE LABEL BEFORE USE. NOT FOR USE ON HUMANS OR PETS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION

Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling and

before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

	FIRST AID
If on skin or clothing	 Take off contaminated clothing.
	 Rinse skin immediately with plenty of water for 15-20 minutes.
	 Call a poison control center or doctor for treatment advice.
If swallowed	 Call a poison control center or doctor immediately for treatment advice.
	 Do not induce vomiting unless told to do so by a poison control center or doctor.
	• Do not give ANY liquid to the person.
	 Do not give anything by mouth to an unconscious person.
	cy, call 1-800-248-7763 or a . Have the product container or

poison control center. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN/VETERINARIAN: Contains petroleum distillates – vomiting may cause aspiration pneumonia.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.

FOR USE IN THE HOME/GARAGE/KENNEL

- 1. **Identify treatment areas**, especially those where pets frequent, such as in and around pet's sleeping and resting areas. These are the primary areas where fleas, their eggs, and ticks are found. Before treatment, make a test application to upholstery, drapery, light-colored, delicate fabrics, or wood surfaces in an inconspicuous place.
- 2. Prepare treatment areas. Cover all food processing surfaces and utensils during treatment or thoroughly wash after product use. Cover or remove exposed food. Remove pets, and cover and unplug aquariums before spraying. Remove motor vehicles before using in garages. For best results with Surface/Carpet treatments, vacuum thoroughly before spraying and discard vacuum bag in outside trash. This product may also be used for infested surfaces inside motor vehicles.
- 3. Apply treatment. For flea/tick infestations, a single can treats 2000 square feet. Hold container upside down 2-3 feet from surface, point actuator towards the surface and push button. Using a sweeping motion, apply a light, uniform spray to all surfaces of furniture, rugs, carpets, drapes, and around all pet resting areas. Avoid thoroughly wetting surfaces. Mist treated areas only until "slightly damp". Do not over-treat. Reapply in 14 days, if necessary. IMPORTANT: Only complete and proper application to carpets, upholstery, drapes, and other fabrics will provide thorough flea/tick elimination. Keep people and pets out of areas during treatment. Vacate room after treatment, and ventilate until surfaces are dry before reoccupying.
- 4. For best results, eliminate fleas/ticks on pets with appropriate Petcor® on-animal products.

FOR USE IN HOSPITALS, HOTELS, MOTELS, OFFICES, SCHOOLS, SUPERMARKETS, TRANSPORTATION EQUIPMENT (BUSES, BOATS, SHIPS, TRAINS, TRUCKS), WAREHOUSES, UTILITIES, VETERINARY CLINICS AND OTHER COMMERCIAL AND INDUSTRIAL BUILDINGS

- Prepare treatment areas. For best results with Surface/Carpet treatments, vacuum thoroughly before spraying and discard vacuum bag in outside trash. Test in an inconspicuous area before treating. Cover all food processing surfaces and utensils during treatment or thoroughly wash after product use. Cover or remove exposed food. Keep people and pets out of areas during treatment. Cover and unplug aquariums before spraying. Vacate room after treatment, and thoroughly ventilate until surfaces are dry before reoccupying.
- 2. Apply treatment. For flea/tick infestations, a single can treats 2000 square feet. Hold container upside down 2-3 feet from surface, point actuator towards the surface and push button. Using a sweeping motion, apply a light uniform spray to all surfaces of furniture, rugs, carpets, drapes, and around all pet resting areas. Avoid thoroughly wetting surfaces. Mist treated areas only until "slightly damp". Do not over-treat. Reapply in 14 days, if necessary. IMPORTANT: Only complete and proper application to carpets, upholstery, drapes, and other fabrics will provide thorough flea/tick elimination.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area. Do not transport or store below 32°F. **Disposal:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

WARRANTY AND CONDITIONS OF SALE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

For information or in case of emergency, call **1-800-248-7763**.

www.zoecon.com

Wellmark International 1501 East Woodfield Road 200W Schaumburg, Illinois 60173



Precor 2000, Precor, and Petcor and the Zoecon logo are registered trademarks of Wellmark International. ©1998-2009 WELLMARK INTERNATIONAL