SDS Revision Date: 08/24/2015

1. Identification

1.1. Product identifier

Product IdentityCESSCO 5E InsecticideAlternate NamesCESSCO 5E Insecticide

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Cessco, Inc.

3609-A River Road

Johns Island, SC 29455. USA

Emergency

CHEMTREC (USA) (800) 424-9300

For information regarding **MEDICAL EMERGENCIES** or **PESTICIDE INCIDENTS**, call the **INTERNATIONAL POSION CENTER** at 1-888-740-8712 24 hours a day.

Customer Service: Cessco, Inc. (800) 476-3666

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Flam. Gas 1;H220 Extremely flammable gas.

Press. Gas;H280 Contains gas under pressure; may explode if heated.

Aquatic Chronic 2;H411 Toxic to aquatic life with long lasting effects.

Simple Asphyxiant May displace oxygen and cause rapid suffocation.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

08/24/2015 **SDS Revision Date:**

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H411 Toxic to aquatic life with long lasting effects.

May displace oxygen and cause rapid suffocation.

[Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P273 Avoid release to the environment.

[Response]:

P377 Leaking gas fire - do not extinguish unless leak can be stopped safely.

P381 Eliminate all ignition sources if safe to do so.

P391 Collect spillage.

[Storage]:

P410+403 Protect from sunlight. Store in a well ventilated place.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Petroleum distillates, hydrotreated light CAS Number: 0064742-47-8	50 - 75	Asp. Tox. 1;H304	[1]
Propane CAS Number: 0000074-98-6	10 - 25	Flam. Gas 1;H220 Press. Gas;H280	[1][2]
Propane, 2-methyl- CAS Number: 0000075-28-5	10 - 25	Flam. Gas 1;H220 Press. Gas;H280	[1][2]
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]- 6-propyl- CAS Number: 0000051-03-6	5 - 10	Aquatic Chronic 1;H410 Acute Tox. 4;H312	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.
*The full texts of the phrases are shown in Section 16.

SDS Revision Date: 08/24/2015

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion Call a physician or poison control center. DO NOT induce vomiting because of aspiration

pneumonia hazard.

4.2. Most important symptoms and effects, both acute and delayed

Overview <u>EYES</u>

Can cause temporary irritation, tearing and blurred vision. Spray at close range may cause

frostbite or burns.

SKIN

Prolonged or repeated exposure may cause irritation and reddening of the skin, possibly

progressing into Dermatitis. Spray at close range may cause frostbite or burns.

INHALATION

Excessive inhalation can cause nasal and respiratory irritation.

INGESTION

Can cause stomach irritation, resulting in nausea, cramps, and vomiting.

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

5. Fire-fighting measures

5.1. Extinguishing media

Carbon Dioxide, Dry Chemical, Foam

5.2. Special hazards arising from the substance or mixture

Flammable contents under pressure. Do not use near heat, sparks, open flame, or while smoking. At temperatures above 130°F, container may rupture. Do not puncture or incinerate.

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

5.3. Advice for fire-fighters

Water may be used to keep containers cool. Use protective shielding to guard against venting, bursting, or rupturing containers. Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving

SDS Revision Date: 08/24/2015

chemicals.

ERG Guide No. ---

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Flammable contents under pressure. Do not use near heat, sparks, open flame, or while smoking. At temperatures above 130°F, container may rupture. Do not puncture or incinerate.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Flammable contents under pressure. Do not use near heat, sparks, open flame, or while smoking. At temperatures above 130°F, container may rupture. Do not puncture or incinerate.

Eliminate all ignition sources. Do not allow leaking material to enter water source. Contain and soak up spill with absorbent material (oil-dri, sand, sawdust, vermiculate or other similar inert material). Contains pesticides and petroleum solvent and may be toxic to aquatic life. Transfer into waste containers for disposal.

7. Handling and storage

7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

- *Extremely Flammable, Keep Out Of Reach Of Children.
- *Do not use near heat or open flame.
- *Read product label and observe all handling and storage precautions and instructions.

Incompatible materials: Strong oxidizing agents and acids.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

SDS Revision Date: 08/24/2015

8. Exposure controls and personal protection

8.1. Control parameters Exposure

CAS No.	Ingredient	Source	Value
0000051-03-6 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-		OSHA	No Established Limit
	ACGIH	No Established Limit	
		NIOSH No Established Limit	
	Supplier	No Established Limit	
0000074-98-6 Propane	OSHA	TWA 1000 ppm (1800 mg/m3)	
		ACGIH	Ensure Minimal Oxygen Content (ACGIH appendix F)
	NIOSH	TWA 1000 ppm (1800 mg/m3)	
	Supplier	No Established Limit	
0000075-28-5 Propane, 2-methyl-	OSHA	No Established Limit	
	ACGIH	STEL: 1000ppm	
	NIOSH	TWA 800 ppm (1900 mg/m3)	
		Supplier	No Established Limit
0064742-47-8	Petroleum distillates, hydrotreated light	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	Recommended 300 ppm PEL

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

Carcinogen Data

CAS No.	Ingredient	Source	Value		
0000051-03-6 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	OSHA	Select Carcinogen: No			
	NTP	Known: No; Suspected: No			
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;			
0000074-98-6 Propane		OSHA	Select Carcinogen: No		
	NTP	Known: No; Suspected: No			
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
0000075-28-5 Propane, 2-methyl-	OSHA	Select Carcinogen: No			
	NTP	Known: No; Suspected: No			
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
0064742-47-8 Petroleum distillates, hydrotreated light	II	OSHA	Select Carcinogen: No		
	NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		

8.2. Exposure controls

Respiratory No respiratory protection needed if directions are followed. If remaining in the enclosed

areas after use, use N.I.O.S.H. approved respirator for pesticide vapors.

Eyes Not required. Goggles or glasses optional.

SDS Revision Date: 08/24/2015

Skin Local exhaust ventilation. Do not remain in area after use. **Engineering Controls** Local exhaust ventilation. Do not remain in area after use.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Pressurized aerosol dispensed as a mist.

Odor Solvent Odor
Odor threshold Not determined
pH Not Measured
Melting point / freezing point Not Measured
Initial boiling point and boiling range Not Measured
Flash Point Not Measured
Evaporation rate (Ether = 1) Not Measured

Flammability (solid, gas) Gas

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (Pa)62 PSI at 60°FVapor DensityNot Measured

Specific Gravity

Solubility in Water

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Decomposition temperature

Viscosity (cSt)

0.72

Insoluble

Not Measured

Not Measured

Not Measured

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Do not store near heat or open flame. Do not store above 130°F.

SDS Revision Date: 08/24/2015

10.5. Incompatible materials

Strong oxidizing agents and acids.

10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Petroleum distillates, hydrotreated light - (64742-47-8)	> 5,000.00, Rat - Category: NA	No data available	No data available	No data available	No data available
Propane - (74-98-6)	No data available	No data available	658.00, Rat - Category: NA	No data available	No data available
Propane, 2-methyl (75-28-5)	No data available	No data available	658.00, Rat - Category: NA	No data available	No data available
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl (51-03-6)	5,630.00, Rat - Category: NA	2,000.00, Rat - Category: 4	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable

SDS Revision Date: 08/24/2015

Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

12. Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Harmful to aquatic life.

Do not apply directly to water. Do not contaminate water by disposal of wastes.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Petroleum distillates, hydrotreated light - (64742-47-8)	45.00, Pimephales promelas	4,720.00, Dendronereides heteropoda	Not Available
Propane - (74-98-6)	Not Available	Not Available	Not Available
Propane, 2-methyl (75-28-5)	Not Available	Not Available	Not Available
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl (51-03-6)	6.12, Oncorhynchus mykiss	0.05, Daphnia magna	3.89 (72 hr), Pseudokirchneriella subcapitata

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty container. Do not puncture or incinerate container. For empty containers, replace cap, wrap container, and discard in trash collection. Any absorbent material used to soak up or contain a leak or spill should be disposed of in accordance with local, state, and federal regulations. Consult the appropriate regulatory agency.

08/24/2015 **SDS Revision Date:**

14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA Transportation) **Transportation**)

14.1. UN number Not Applicable Not Regulated Not Regulated

14.2. UN proper shipping Consumer commodity Consumer commodity

Consumer commodity, ORM-D,

14.3. Transport hazard **DOT Hazard Class:** ORM-D **IMDG:** Not Applicable Air Class: Not Applicable

Sub Class: Not Applicable class(es) 14.4. Packing group Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: Yes (1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-)

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification A B1 **US EPA Tier II Hazards** Fire: Yes

Sudden Release of Pressure: Yes

Reactive: No

Immediate (Acute): No Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

SDS Revision Date: 08/24/2015

New Jersey RTK Substances (>1%):

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

Propane

Propane, 2-methyl-

Pennsylvania RTK Substances (>1%):

Propane

Propane, 2-methyl-

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H410 Very toxic to aquatic life with long lasting effects.

Disclaimer: The above information pertains to this product as it is currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of this product. This information is provided in good faith, but since conditions of use are outside our control, we make no warranties, expressed or implied, and assume no liability in connection with any use of this information. **Buyer assumes all responsibility for safety and use not in accordance with label directions.

End of Document